



# SEQUENCE LISTING

<110> ISHIMA, Masahiro  
YOSHIDA, Tsutomu  
YAMAZAKI, Takayuki  
SUGAWARA, Fumio  
HATTA, Kiyoshige  
SHIMOJOE, Manabu  
MASAKI, Kazuyoshi

<120> NOVEL PEPTIDES, DERIVATIVES THEREOF, PROCESS FOR PRODUCING THE SAME,  
NOVEL STRAIN PRODUCING THE SAME, AND ANTIVIRAL AGENT COMPRISING THE SAME  
AS ACTIVE INGREDIENT

<130> 03461C/HG

<140> US 10/632, 949

<141> 2003-07-31

<150> JP 2001-032729

<151> 2001-02-08

<160> 6

<170> PatentIn Ver. 2.0

<210> 1

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> a 3-hydroxy decanoyl group is bonded to the amino group of Leu (1)

<220>

<221> SITE

<222> (7) and (14)

<223> The hydroxy group of Ser at (7) and the carboxylic group of Ile at  
(14) esterified to make a cyclic structure

<400> 1

Leu Glu Gln Val Leu Gln Ser Val Leu Leu Gln Leu Gln Ile  
1 5 10

<210> 2

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> a 3-hydroxy decanoyl group is bonded to the amino group of Leu (1)

<220>

<221> MUTAGEN

<222> (3), (6), (11), (13)

<223> Each of the Gln's at (3), (6), (11), (13) is modified to Dbu, which is 2,4-diaminobutyric acid

<220>

<221> SITE

<222> (7) and (14)

<223> The hydroxy group of Ser at (7) and the carboxylic group of Ile at (14) esterified to make a cyclic structure

<400> 2

Leu Glu Gln Val Leu Gln Ser Val Leu Leu Gln Leu Gln Ile  
1 5 10

<210> 3

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> a 3-hydroxy decanoyl group is bonded to the amino group of Leu (1)

<220>

<221> MUTAGEN

<222> (3), (6), (11), (13)

<223> Each of the Gln's at (3), (6), (11), (13) is modified to Dbu, which is 2,4-diaminobutyric acid

<400> 3

Leu Glu Gln Val Leu Gln Ser Val Leu Leu Gln Leu Gln Ile  
1 5 10

<210> 4

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> a 3-hydroxy decanoyl group is bonded to the amino group of Leu (1)

<220>

<221> SITE

<222> (7) and (14)

<223> The hydroxy group of Ser at (7) and the carboxylic group of Leu at (14) esterified to make a cyclic structure

<400> 4

Leu Glu Gln Val Leu Gln Ser Val Val Leu Gln Leu Gln Leu  
1 5 10

<210> 5

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> a 3-hydroxydodec-5-enoyl group is bonded to the amino group of Leu (1)

<220>

<221> SITE

<222> (7) and (14)

<223> The hydroxy group of Ser at (7) and the carboxylic group of Ile at (14) esterified to make a cyclic structure

<400> 5

Leu Glu Gln Val Leu Gln Ser Val Leu Leu Gln Leu Gln Ile  
1 5 10

<210> 6

<211> 14

<212> PRT

<213> Pseudomonas sp.

<220>

<221> SITE

<222> (1)

<223> 3-hydroxy decanoyl group is bonded to the amino group of Leu (1)

<220>

<221> MUTAGEN

<222> (2)

<223> Glu at (2) is alkylated

<220>

<221> SITE

<222> (7) and (14)

<223> The hydroxy group of Ser at (7) and the carboxylic group of Ile at (14) esterified to make a cyclic structure

<400> 6

Leu Glu Gln Val Leu Gln Ser Val Leu Leu Gln Leu Gln Ile  
1 5 10